



**ACCENT**

LUMINAIRE USED	POWER	POWER SUPPLY	CCT	CRI	BINNING	LIFETIME	LED LUMINOUS FLUX
K72, K77 ADJ, SLIDE, M-LED 50 & 70, DUELL, K-SERIE, LOTIS 82, MINI MULTIPLE, 2FLAT2C, SL100, SMART 82, SMART 82 ADJ, SMART 115 ADJ, SLD50 EYEBALL, WINK 82	6.2 W	350 mA - 17.8 Vf	2700K	> 90	3 SDCM	50000 hrs	599 lm
			3000K	> 90			622 lm
			4000K	> 90			647 lm
	9.2 W	500 mA - 18.4 Vf	2700K	> 90	3 SDCM	50000 hrs	734 lm
			3000K	> 90			763 lm
			4000K	> 90			792 lm
SMART 115 ADJ	13.4 W	700 mA - 18.4 Vf	2700K	> 90	3 SDCM	50000 hrs	976 lm
			3000K	> 90			1014 lm
			4000K	> 90			1053 lm
QBINI QBINI ADJ SMART 48+	3 W	350 mA - 8.6 Vf	2700K	> 90	2 SDCM	50000 hrs	330 lm
			3000K	> 90			330 lm
			4000K	> 90			356 lm
	4.3 W	500 mA - 8.6 Vf	2700K	> 90	2 SDCM	50000 hrs	446 lm
			3000K	> 90			446 lm
			4000K	> 90			481 lm
SLD50 NAKED - EYEBALL	5.6 W	350 mA - 16 Vf	2700K	> 90	2 SDCM	50000 hrs	636 lm
			3000K	> 90			636 lm
			4000K	> 90			683 lm
QBINI	4.3 W	250 mA - 17 Vf	3000K - 1800K	> 90	3 SDCM	50000 hrs	391 lm
M-LED 50, M-LED 70, SMART 82, SMART 82 ADJ	6 W	350 mA - 17 Vf	3000K - 1800K	> 90	3 SDCM	50000 hrs	513lm
SMART 115 ADJ MÉDARD SEMIH REKTOR	11.8 W	350 mA - 33.8 Vf	3000K - 1800K	> 90	3 SDCM	50000 hrs	918lm
STOVE, CHAPEAU	11 W	350 mA - 31.5 Vf	2700K	> 90	3 SDCM	50000 hrs	1089 lm
	16.25 W	500 mA - 32.5 Vf	2700K	> 90	3 SDCM	50000 hrs	1466 lm
MARBUL FAMILY	9.3 W	350 mA - 26.7 Vf	2700K	> 90	3 SDCM	50000 hrs	841 lm
			3000K	> 90			880 lm
			4000K	> 90			1207
	13.8 W	500 mA - 27.5 Vf	2700K	> 90	3 SDCM	50000 hrs	1153
			3000K	> 90			1207
			4000K	> 90			1207
SMART FIX 115, M-LED 111, MP78, NOMAD 111, WINK 115, REKTOR, MÉDARD	11 W	350 mA - 31.4 Vf	2700K	> 90	3 SDCM	50000 hrs	1012 lm
			3000K	> 90			1076 lm
			4000K	> 90			1218 lm
SMART FIX 115, M-LED 111, MP78, NOMAD 111	16.25 W	500 mA - 32.5 Vf	2700K	> 90	3 SDCM	50000 hrs	1363 lm
3000K			> 90	1446 lm			
4000K			> 90	1644 lm			
SMART FIX 115, M-LED 111, NOMAD 111, REKTOR, MÉDARD, SEMIH	23.6 W	700 mA - 33.7 Vf	2700K	> 90	3 SDCM	50000 hrs	1748 lm
3000K			> 90	1859 lm			
4000K			> 90	2110lm			
SMART FIX 115, M-LED 111, NOMAD 111, WINK 115	27 W	700 mA - 37.6 Vf	2700K	> 90	3 SDCM	50000 hrs	2487 lm
3000K			> 90	2564 lm			
4000K			> 90	2564 lm			
SMART FIX 115, M-LED 111, NOMAD 111 SPEKTRA	12 W	350 mA - 33.3 Vf	2700K	> 90	3 SDCM	50000 hrs	1365 lm
			3000K	> 90			1408 lm
			4000K	> 90			1455 lm
	17 W	500 mA - 34.3 Vf	2700K	> 90	3 SDCM	50000 hrs	1852lm
			3000K	> 90			1910 lm
			4000K	> 90			1974 lm
	25 W	700 mA - 35.7 Vf	2700K	> 90	3 SDCM	50000 hrs	2424 lm
			3000K	> 90			2510 lm
			4000K	> 90			2594 lm
SINGLE ROUND, SINGLE SQUARE	25 W	700 mA - 35.7 Vf	2700K	> 90	3 SDCM	50000 hrs	1913 lm
			3000K	> 90			1982 lm
			4000K	> 90			2143 lm
KANON 110	40 W	1050mA - 37.9 Vf	2700K	> 90	3 SDCM	50000 hrs	3107 lm
			3000K	> 90			3222 lm
			4000K	> 90			3483 lm



ACCENT - cntd.

LUMINAIRE USED	POWER	POWER SUPPLY	CCT	CRI	BINNING	LIFETIME	LED LUMINOUS FLUX
SMART 160	16 W	500 - 32.1 Vf	2700K	> 90	3 SDCM	50000 hrs	2061 lm
			3000K	> 90			2125 lm
			4000K	> 90			2380 lm
	23.5 W	700 mA - 33.3 Vf	2700K	> 90	3 SDCM	50000 hrs	2807 lm
			3000K	> 90			2894 lm
			4000K	> 90			3241 lm
	31 W	900 mA - 34.2 Vf	2700K	> 90	3 SDCM	50000 hrs	3485 lm
			3000K	> 90			3592 lm
			4000K	> 90			4023 lm
	36.5 W	1050 mA - 34.6 Vf	2700K	> 90	3 SDCM	50000 hrs	4029 lm
			3000K	> 90			4154 lm
			4000K	> 90			4652 lm
	42 W	1200 mA - 35 Vf	2700K	> 90	3 SDCM	50000 hrs	4526 lm
			3000K	> 90			4666 lm
			4000K	> 90			5256 lm
	50 W	1400 mA - 35.5 Vf	2700K	> 90	3 SDCM	50000 hrs	5211 lm
			3000K	> 90			5372 lm
			4000K	> 90			6017 lm
KANON 138	50 W	1400 mA - 35.5 Vf	2700K	> 90	3 SDCM	50000 hrs	4786 lm
			3000K	> 90			4963 lm
			4000K	> 90			5365 lm
KURK	13 W	700 mA - 18.6 Vf	2700K	> 80	Ansi	50000 hrs	527 lm
SPOCK NON DIM	14.2 W	350 mA - 40.5 Vf	2700K	> 80	3 SDCM	50000 hrs	977 lm
	18.0 W	350 mA - 51.2 Vf	3000K	> 80			766 lm
SPOCK DIM	14.2 W	350 mA - 40.5 Vf	2700K	> 80	3 SDCM	50000 hrs	977 lm
			3000K	> 80			1026 lm
SCOTTY ADJ	14.2 W	350 mA - 40.5 Vf	2700K	> 80	3 SDCM	50000 hrs	977 lm
			3000K	> 80			1026 lm
SCOTTY FIX	14.2 W	350 mA - 40.5 Vf	2700K	> 80	3 SDCM	50000 hrs	977 lm
			3000K	> 80			1026 lm
	21.0 W	500 mA - 42 Vf	2700K	> 80			1258 lm
			3000K	> 80			1321 lm



**GENERAL**

LUMINAIRE USED	POWER	POWER SUPPLY	CCT	CRI	BINNING	LIFETIME	LED LUMINOUS FLUX
IZAR LED (6X)	5.1 W	150 mA - 32 Vf	3000K	> 90	3 SDCM	50000 hrs	548 lm
VAEDER (6X)	5.1 W	125 mA - 32 Vf	2700K	> 90	3 SDCM	50000 hrs	457 lm
VAEDER (8X)	4 W	125 mA - 32 Vf	3000K	> 90	3 SDCM	50000 hrs	457 lm
SL MINI, SL75, SL100, H2A, BASELINE FLANGE, H55	6.9 W	Xitanium	3000K	> 80	3,5 SDCM	50000 hrs	1065 lm
SLD50, MP78	6.9 W	Xitanium	2700K	> 90	3 SDCM	50000 hrs	855 lm
			3000K	> 90			881 lm
			4000K	> 90			951 lm
SLD75, DRUPL, DRUPL FLANGE	8.6 W	Xitanium	2700K	> 90	3 SDCM	50000 hrs	932 lm
			3000K	> 90			966 lm
			4000K	> 90			1036 lm
SL MICRO, UNITED LED	4.1 W	Xitanium	3000K	> 80	3,5 SDCM	50000 hrs	610 lm
			4000K	> 90			650 lm
FLAT MOON 450/470, SOUFFLÉ	26 W	700 mA - 37 Vf	2700K	> 90	3 SDCM	50000 hrs	3124 lm
			3000K	> 90			3221 lm
			4000K	> 90			3543 lm
FLAT MOON 450/470							
FLAT MOON ECLIPS 650	38 W	700 mA - 54 Vf	2700K	> 90	3 SDCM	50000 hrs	4491 lm
			3000K	> 90			4630 lm
			4000K	> 90			5093 lm
FLAT MOON 650/670	62.2 W	700 mA - 89 Vf	2700K	> 90	3 SDCM	50000 hrs	7813 lm
			3000K	> 90			8026 lm
			4000K	> 90			9103 lm
FLAT MOON ECLIPS 950	71 W	700 mA - 101 Vf	2700K	> 90	3 SDCM	50000 hrs	8663 lm
			3000K	> 90			8932 lm
			4000K	> 90			9862 lm
FLAT MOON 950/970	129 W	700 mA - 184 Vf	2700K	> 90	3 SDCM	50000 hrs	15301 lm
			3000K	> 90			15776 lm
			4000K	> 90			17892 lm
SLD50, MP78, SL NANO, SL MICRO, SL MINI, SL75, SLD75, H55	10.8 W	24 Vdc	2700K	> 90	3 SDCM	50000 hrs	1092 lm
			3000K	> 90			1092 lm
			4000K	> 90			1095 lm
SLD50, MP78, SL NANO, SL MICRO, SL MINI, SL75, SLD75, H55, SLD50 NAKED	18.8 W	24 Vdc	2700K	> 90	3 SDCM	50000 hrs	1904 lm
			3000K	> 90			1904 lm
			4000K	> 90			1932 lm
ON REQUEST	8.5 W	24 Vdc	N/A	N/A	N/A	50000 hrs	N/A



**ORIENTATION & OUTDOOR**

LUMINAIRE USED	POWER	POWER SUPPLY	CCT	CRI	BINNING	LIFETIME	LED LUMINOUS FLUX
MARTY, SKIFV (6X), H2A	1 W	350 mA - 3 Vf	3000K	> 90	3 SDCM	50000 hrs	97 lm
SMART 48	1.5 W	500 mA - 3 Vf	3000K	> 90	3 SDCM	50000 hrs	124 lm
DUELL EXTERIOR	2 W	700 mA - 3 Vf	3000K	> 90	3 SDCM	50000 hrs	174 lm
LOWIE / LOWIEZE SULFER IP (2X)	3.2 W	350mA - 9 Vf	3000K	> 90	3 SDCM	50000 hrs	208 lm
JULIEN	4.3 W	350 mA - 12 Vf	3000K	> 90	3 SDCM	50000 hrs	139 lm
A(R)MOR	3.2 W	350 mA - 9 Vf	3000K	> 90	3 SDCM	50000 hrs	125 lm
BUZZE (2X)	6.5 W	700 mA - 10 Vf	2700K	> 80	4 SDCM	35000 hrs	300 lm
DOZE, NUKAV, GUTTER SPLIT, TRAPZ, PORTFOLIO (2X)	4.3 W	220 - 240 V AC	2700K	> 80	3 SDCM	25000 hrs	400 lm
HIPY 70	3.1 W	350mA - 8.9 Vf	3000K	> 90	3 SDCM	50000 hrs	280 lm
SULFER (2X)	3.1 W	175 mA - 17.8 Vf	2700K	> 90	3 SDCM	50000 hrs	300 lm
	3.1 W	175 mA - 17.8 Vf	3000K	> 90	3 SDCM	50000 hrs	310 lm
NUDE WALL IP	6.2 W	350 mA - 17.8 Vf	3000K	> 90	3 SDCM	50000 hrs	576 lm
HIPY 110	6.2 W	350 mA - 17.8 Vf	3000K	> 90	3 SDCM	50000 hrs	576 lm
	9.2 W	500 mA - 18.4 Vf	3000K	> 90	3 SDCM	50000 hrs	773 lm
	13.4 W	700 mA - 19.3 Vf	3000K	> 90	3 SDCM	50000 hrs	994 lm
WOLLET	2.8 W	140 mA - 20 Vf	3000K	> 90	3 SDCM	30,000 hrs	148 lm
SL MICRO IP44, FALL	14.4 W	24 Vdc	2700K 3000K 4000K	> 90	3 SDCM	50000 hrs	1000 lm/m
ON REQUEST	8.5 W	24 Vdc	N/A	N/A	N/A	50000 hrs	N/A